

Robot Pumps RW4040DO 272.01

1	1	55-700-180-GG	Motorhuis	mh170	-	1905	GG 25
3	1	55-702-339-BE	Stator met thermoschak's	7.5 kW-4	-	020-2103140D	
4	1	55-703-434-RM	Rotor	7.5 kW-4	-	030-3103140D	AISI 431
5	1	55-750-108	Kogellager	6304 2RSH /C3 GJN	-		
6	1	55-750-054	Kogellager	6307-2Z-C3	-		
10	1	55-704-140-GG	Lagerdichtingshuis	RW40	-	1906A	GG 25
11	1	55-704-144-NI	Rubber membraan	RW/RT40	-		NBR
12	1	55-706-314	Dichting	Ø35	-		Carb/ceramic/NBR
13	1	55-706-318	Dichting	Ø30	-		SiC/SiC/NBR
35	1	55-709-306	Kabel	10x1.5mm2 Ø18.6- Ø19.6	-		Ozoflex
36	1	55-709-002-RZ	Kabelinvoer	G 7/8"	-	2209A	AISI 316
37	1	55-709-005-RZ	Drukstuk	Ø18-21	-	2211	AISI 316
38	1	55-709-030	Kabeltule	27.5x19x23	-		CR
39	2	55-709-010	Drukkring	27.5x19.5x4	-		CuZn 40
45	2	55-754-093	Inbusbout	M 6x 16	912		AISI 304
48	9	55-759-007	Kabelverbinder	(2.5mm2)	-		
56	1	55-713-210-RZ	Naamplaatje	Robot Pumps	-		AISI 316
59	1	55-751-004	O-ring	52.39x 3.53	-		NBR
66	1	55-752-002	Seegerring	A 20x1.2	471		spring steel
67	1	55-752-004	Seegerring	A 35x1.5	471		spring steel
68	1	55-752-031	Seegerring	J 80x2.5	472		spring steel
70	1	55-757-083	Cil. kopschroef	M 6x 8	84a		CuZn 40
71	1	55-754-157	Inbusbout	M 8x 12	912		AISI 304
73	3	55-754-092	Inbusbout	M10x 20	912		AISI 304
74	4	55-754-079	Inbusbout	M10x 30	912		AISI 304
83	1	55-756-101	Spie	6x 6x20	6885A		AISI 316
84	1	55-756-028	Duboring	M 8 type 303	-		PA 6.6
85	3	55-756-027	Duboring	M10 type 305	-		PA 6.6
87	8	55-757-076	Naamplaatnagel	2.9x6.5	-		AISI 316
94	1	55-759-002	Kabelschoen	M 6 (2.5mm2)	-		
95	1	55-906-067	Slangklem	90-110 mm	-		RVS
96	1	55-906-069	Olie	Marcol 152	-		
101	1	55-701-147-GG	Pomphuis	RW2030/40 RW4030/40	-	1487	GG 25
118	1	55-751-176	O-ring	249.3x 5.7	-		NBR
124	4	55-754-080	Inbusbout	M12x 35	912		AISI 304
140	1	55-708-362-NG	Waaier	252 RW4020/40/BW20	-	2067	GGG 40
141	1	55-713-226-RU	Waaierplaat	ø30xø9x4	-	713-226	AISI 329
145	1	55-754-117	Verz. kop inbusbout	M 8x 18	Spec		AISI 316

Aanvulling voor opstelling -F en -T

200	1	55-710-264-NG	Ophangbeugel	V mh170b	-	2177	GGG 40
201	3	55-754-029	Inbusbout	M 8x 25	912		AISI 304
203	1	55-912-054	Harpssluiting	10mm	-		AISI 316
206	3	55-758-083	Sluitring	(M 8)	125		AISI 304
210	1	55-712-143-GG	Slangaansluiting	4"-90gr.	-	1788	GG 25
210	(1)	55-712-144-GG	Slangaansluiting	4"-3-90gr.	-	1789	GG 25
210	(1)	55-712-183-GG	Slangaansluiting	4"-90gr. (SL)	-	2091	GG 25
210	(1)	55-712-170-st	Draadaansluiting	G 4"-90gr.Bu	-		Fe galv.
210	(1)	55-712-194-ST	Draadaansluiting	NPT 4"-90gr.Bu	-		Fe 360
211	4	55-753-152	Zeskantbout	M12x 50	931		AISI 304
211	(4)	55-753-158	Tapeind	M12x 35	939		AISI 316
213	4	55-755-083	Moer	M12	934		AISI 304

214	4	55-758-095	Sluitring	(M12)	125	AISI 304
218	1	55-761-002	Pakking	Ø140xØ105x2	-	CR
218	(1)	55-761-060	Pakking	Ø140xØ105x2	-	FPM
230	1	55-715-118-ST	Standing	stc 138 en stc 170	-	Fe galv
231	3	55-754-027	Inbusbout	M10x 25	912	AISI 304

Aanvulling voor opstelling -H

200	1	55-710-305-ST	Ophangbeugel	H 20g/40	-	Fe 360
201	2	55-754-077	Inbusbout	M 8x 20	912	AISI 304
203	1	55-912-054	Harpssluiting	10mm	-	AISI 316
210	1	55-712-053-GG	Slangaansluiting	4"	- 1293	GG 25
210	(1)	55-712-134-GG	Slangaansluiting	3"-4	- 1735	GG 25
210	(1)	55-712-054-GG	Slangaansluiting	6"-4	- 1748	GG 25
211	4	55-753-152	Zeskantbout	M12x 50	931	AISI 304
213	4	55-755-083	Moer	M12	934	AISI 304
214	4	55-758-095	Sluitring	(M12)	125	AISI 304
218	1	55-761-002	Pakking	Ø140xØ105x2	-	CR
218	1	55-761-060	Pakking	Ø140xØ105x2	-	FPM
220	1	55-712-131-GG	Zuigbocht	4"	- 1467A	GG 25
221	3	55-754-027	Inbusbout	M10x 25	912	AISI 304

Aanvulling voor opstelling -V

200	1	55-710-264-NG	Ophangbeugel	V mh170b	- 2177	GGG 40
201	3	55-754-029	Inbusbout	M 8x 25	912	AISI 304
203	1	55-912-054	Harpssluiting	10mm	-	AISI 316
206	3	55-758-083	Sluitring	(M 8)	125	AISI 304
211	4	55-753-152	Zeskantbout	M12x 50	931	AISI 304
213	4	55-755-083	Moer	M12	934	AISI 304
214	4	55-758-095	Sluitring	(M12)	125	AISI 304
218	1	55-761-002	Pakking	Ø140xØ105x2	-	CR
218	(1)	55-761-057	Pakking	Ø150xØ 97x2	-	CR
218	(1)	55-761-060	Pakking	Ø140xØ105x2	-	FPM

Kabellijst YD 220 - 500V 50Hz

35	1	55-709-225	Kabel	7G1.5mm2	-	CR / EPR / Cu
36	1	55-709-002-RZ	Kabelinvoer	G 7/8"	- 2209A	AISI 316
37	1	55-709-004-RZ	Drukstuk	Ø15-17	- 2210	AISI 316
38	1	55-709-029	Kabeltule	27.5x16x23	-	CR
39	2	55-709-167	Drukkring	27.5x18x4	-	CuZn 40
45	2	55-754-093	Inbusbout	M 6x 16	912	AISI 304
48	6	55-759-007	Kabelverbinder	(2.5mm2)	-	

Optie kabelinvoer en beschermsslant AISI 316

36	1	55-709-316-RZ	Kabelinvoer	G 7/8"-G1"	- 2101	AISI 316
37	1	55-709-318-RZ	Drukstuk	Ø18-21	- 2103	AISI 316
40	1	55-709-270	Kabelbeschermsslant	Ø25 l=3 m	-	AISI 316
40	(1)	55-709-314	Kabelbeschermsslant	Ø25 l=5 m	-	AISI 316
40	(1)	55-709-348	Kabelbeschermsslant	Ø25 l=10 m	-	AISI 316

41	1	55-751-145	O-ring	25.07x 2.62	-		FPM
42	1	55-760-145	Pakking	Ø 23xØ 19x2	-		Teflon
43	1	55-709-301	Afdichtring	30x22x2	-		PTFE
45	2	55-754-085	Inbusbout	M 6x 16	912		AISI 316
46	(2)	55-758-088	Veerring	(M 6)	127a		AISI 316

Optie pompas materiaal AISI 316

4	1	55-703-434-RZ	Rotor	7.5 kW-4	-	030-3103140D	AISI 316/420
---	---	---------------	-------	----------	---	--------------	--------------

Optie viton afdichtingen

11	1	55-704-144-VI	Rubber membraan	RW/RD40	-		FPM
13	1	55-706-317	Dichting	Ø30	-		SiC/SiC/FPM
84	1	55-756-127	Afdichtring	(M 8)	-		PTFE
85	3	55-756-128	Afdichtring	(M10)	-		PTFE
118	1	55-751-221	O-ring	249.3x 5.7	-		FPM
218	1	55-761-060	Pakking	Ø140xØ105x2	-		FPM

Optie waaier(s) (speciaal materiaal)

140	1	55-708-360-BR	Waaier	252 RW4030/BW20/4030	-	2066	G-CuSn 10
140	1	55-708-360-RZ	Waaier	252 RW4030/BW20/4030	-	2066R	AISI 316
140	1	55-708-360-BN	Waaier	252 RW4030/BW20/4030	-	2066	GGG 80 HA

Optie watervoeler


300	1	55-717-064	Watervoeler		-		
-----	---	------------	-------------	--	---	--	--

Optie zinkanode

500	1	55-717-071	Anode	Ø 100	-		Zn
501	3	55-717-115	Afstandsbus	Ø 20x Ø 10 l=12mm	-		AISI 304
502	(3)	55-754-027	Inbusbout	M10x 25	912		AISI 304
231	(3)	55-754-116	Inbusbout	M10x 35	912		AISI 304

Parts list drawing

Option: cable entry and protection sleeve (AISI316)



Parts list drawing

